

1. Unique identification code of the product-type: Windows and balcony doors in Schuco Alu system /1,4
2. Intended use or uses: Windows and balcony doors intended to be used in heated rooms of domestic and commercial locations.
3. Manufacturer: Awilux Polska Sp. z o.o. Sp.k.
ul. Budowlanych 9, 64-100 Leszno
4. Authorised representative: Not relevant
5. System or systems of AVCP: 3
6. Harmonised standard: EN 14351-1+A2:2016
Notified body/ies: MLTB NB-2189
7. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Resistance to wind load PN-EN 12210	≥B2	EN 14351-1+A2:2016
Watertightness, unshielded (A) PN-EN 12208	npd	EN 14351-1+A2:2016
Dangerous substances	npd	EN 14351-1+A2:2016
Load-bearing capacity of safety devices	350 N	EN 14351-1+A2:2016
Acoustic performance RW (C; Ctr)	npd	EN 14351-1+A2:2016
Thermal transmittance	≤ 1,4 W/m²K *	EN 14351-1+A2:2016
Radiation properties (g)	npd	EN 14351-1+A2:2016
Air permeability PN-EN 12207	4	EN 14351-1+A2:2016

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Karol Szkudlarczyk, vice president of the management board

Wiceprezes

Leszno 18.06.2026

Karol Szkudlarczyk

1. Unique identification code of the product-type: Entrance doors in Schuco Alu system/1,4
2. Intended use or uses: Entrance doors intended to be used in heated rooms of domestic and commercial locations.
3. Manufacturer: Awilux Polska Sp. z o.o. Sp.k.
ul. Budowlanych 9, 64-100 Leszno
4. Authorised representative: Not relevant
5. System or systems of AVCP: 3
6. Harmonised standard: EN 14351-1+A2:2016
Notified body/ies: IFT NB 0757
7. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Resistance to wind load PN-EN 12210	≥B2	EN 14351-1+A2:2016
Watertightness, unshielded (A) PN-EN 12208	npd	EN 14351-1+A2:2016
Dangerous substances	npd	EN 14351-1+A2:2016
Load-bearing capacity of safety devices	npd	EN 14351-1+A2:2016
Acoustic performance RW (C; Ctr)	npd	EN 14351-1+A2:2016
Thermal transmittance	≤ 1,4 W/m ² K *	EN 14351-1+A2:2016
Radiation properties (g)	npd	EN 14351-1+A2:2016
Air permeability PN-EN 12207	2	EN 14351-1+A2:2016

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Karol Szkudlarczyk, vice president of the management board



Wiceprezes

Leszno 18.06.2026  Karol Szkudlarczyk...

1. Unique identification code of the product-type: Windows and balcony doors in Aliplast Alu system /1,4
2. Intended use or uses: Windows and balcony doors intended to be used in heated rooms of domestic and commercial locations.
3. Manufacturer: Awilux Polska Sp. z o.o. Sp.k.
ul. Budowlanych 9, 64-100 Leszno
4. Authorised representative: Not relevant
5. System or systems of AVCP: 3
6. Harmonised standard: EN 14351-1+A2:2016
Notified body/ies: MLTB NB-2189
7. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Resistance to wind load PN-EN 12210	≥B2	EN 14351-1+A2:2016
Watertightness, unshielded (A) PN-EN 12208	npd	EN 14351-1+A2:2016
Dangerous substances	npd	EN 14351-1+A2:2016
Load-bearing capacity of safety devices	350 N	EN 14351-1+A2:2016
Acoustic performance RW (C; Ctr)	npd	EN 14351-1+A2:2016
Thermal transmittance	≤ 1,4 W/m ² K *	EN 14351-1+A2:2016
Radiation properties (g)	npd	EN 14351-1+A2:2016
Air permeability PN-EN 12207	4	EN 14351-1+A2:2016

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Karol Szkudlarczyk, vice president of the management board

Wiceprezes

Leszno 18.06.2026

Karol Szkudlarczyk

1. Unique identification code of the product-type: Entrance doors in Aliplast ALU system/1,4
2. Intended use or uses: Entrance doors intended to be used in heated rooms of domestic and commercial locations.
3. Manufacturer: Awilux Polska Sp. z o.o. Sp.k.
ul. Budowlanych 9, 64-100 Leszno
4. Authorised representative: Not relevant
5. System or systems of AVCP: 3
6. Harmonised standard: EN 14351-1+A2:2016
Notified body/ies: ITB NB 1488
7. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Resistance to wind load PN-EN 12210	≥B2	EN 14351-1+A2:2016
Watertightness, unshielded (A) PN-EN 12208	npd	EN 14351-1+A2:2016
Dangerous substances	npd	EN 14351-1+A2:2016
Load-bearing capacity of safety devices	npd	EN 14351-1+A2:2016
Acoustic performance RW (C; Ctr)	npd	EN 14351-1+A2:2016
Thermal transmittance	≤ 1,4 W/m ² K *	EN 14351-1+A2:2016
Radiation properties (g)	npd	EN 14351-1+A2:2016
Air permeability PN-EN 12207	2	EN 14351-1+A2:2016

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Karol Szkudlarczyk, vice president of the management board

Wiceprezes

Karol Szkudlarczyk

Leszno 18.06.2026

1. Unique identification code of the product-type: Windows and balcony doors in Reynaers system /1,4
2. Intended use or uses: Windows and balcony doors intended to be used in heated rooms of domestic and commercial locations.
3. Manufacturer: Awilux Polska Sp. z o.o. Sp.k.
ul. Budowlanych 9, 64-100 Leszno
4. Authorised representative: Not relevant
5. System or systems of AVCP: 3
6. Harmonised standard: EN 14351-1+A2:2016
Notified body/ies: ITB NB 1488
7. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Resistance to wind load PN-EN 12210	≥B2	EN 14351-1+A2:2016
Watertightness, unshielded (A) PN-EN 12208	npd	EN 14351-1+A2:2016
Dangerous substances	npd	EN 14351-1+A2:2016
Load-bearing capacity of safety devices	350 N	EN 14351-1+A2:2016
Acoustic performance RW (C; Ctr)	npd	EN 14351-1+A2:2016
Thermal transmittance	≤ 1,4 W/m²K *	EN 14351-1+A2:2016
Radiation properties (g)	npd	EN 14351-1+A2:2016
Air permeability PN-EN 12207	4	EN 14351-1+A2:2016

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Karol Szkudlarczyk, vice president of the management board

Wiceprezes

Leszno 18.06.2026 ...
Karol Szkudlarczyk

1. Unique identification code of the product-type: Entrance doors in Reynaers system/1,4
2. Intended use or uses: Entrance doors intended to be used in heated rooms of domestic and commercial locations.
3. Manufacturer: Awilux Polska Sp. z o.o. Sp.k.
ul. Budowlanych 9, 64-100 Leszno
4. Authorised representative: Not relevant
5. System or systems of AVCP: 3
6. Harmonised standard: EN 14351-1+A2:2016
Notified body/ies: ITB NB 1488
7. Declared performance:

Essential characteristics	Performance	Harmonised technical specification
Resistance to wind load PN-EN 12210	≥B2	EN 14351-1+A2:2016
Watertightness, unshielded (A) PN-EN 12208	npd	EN 14351-1+A2:2016
Dangerous substances	npd	EN 14351-1+A2:2016
Load-bearing capacity of safety devices	npd	EN 14351-1+A2:2016
Acoustic performance RW (C; Ctr)	npd	EN 14351-1+A2:2016
Thermal transmittance	≤ 1,4 W/m ² K *	EN 14351-1+A2:2016
Radiation properties (g)	npd	EN 14351-1+A2:2016
Air permeability PN-EN 12207	2	EN 14351-1+A2:2016

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: Karol Szkudlarczyk, vice president of the management board

Wiceprezes
Karol Szkudlarczyk

Leszno 18.06.2026